

INVENTORY NO: AL-V-A-192

DATE: 7/31/80

REMODELING: Drastic, moderate, minor

NAME OF PROPERTY: C & P Machine Shops 1

LOCATION OF PROPERTY: off Foundry Row Mount Savage ^{NOT RR track}

DIRECTION DWELLING FACES: 2

NAME OF OWNER: Mt. Savage Specialty Refractory Co Mt. Savage Refractories

ADDRESS: 736 W. Ingomar Rd 408/109 (until 1982)
Ingomar, PA 15127

STORIES: 1(4) 2() 3() 4() 5() 6() BAYS: 1() 2() 3() 4() 5() 6() 7() ()

WINGS, ADDITIONS:

Map 3M grid 15

P. 60

DWELLING SHAPE: (square, cross, rectangular)

WALL CONSTRUCTION:

- () FRAME: Bevel, clapboard, weatherboard, wood shingles, board & batten (type?)
() BRICK: Bond type - common, English, Flemish. Sketch variants.
(☒) STONE: Bond type - rubble, ashlar (random or regular), quoins-plain, rusticated
() LOG
() OTHER: Coverings

WALL FEATURES: Belt Course, Pilasters, Others

FOUNDATIONS: High, Low, Brick, Stone Rock-Faced ashlar random

WATER TABLE: None, Plain, Beveled, Moulded Brick

WINDOWS, TRIM, SHUTTERS: 1/1() 2/2() 6/6() 9/6() 9/9() other()
pegged() nailed() wide() narrow() mitred() pediment()

ENTRANCE, DOORS: LOCATION: wide double tall door diag boards 4
HARDWARE: original() replaced()
FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN sets of 4 lights ea
Paneled, Vertical, Horizontal Boards

CORNICE, BARGE, EAVES: close pent flanks stone capped parapet gable ends
(crown, fascia, soffit, bed)
original() replaced() rafter ends, modillions, dentils, frieze, architrave

ROOF: Tarpaper
Gable front, Gable flank, Hip, Shed, Mansard, Gambrel, Flat, Dormers #

MATERIAL: wood shingles, slate, tin, asphalt; original() replaced()

PORCHES: SHAPE OF ROOF - shed() hip() gable()

CHIMNEYS: Number: X Brick() Stone() Corbeled() original() replaced()
Location: Flush end() Inside end() Outside end() Central() Interior()

ARCHES: Door & Windows: Keystone, Flat, Segmental, Semicircular

COMMENTS:

USE:

SIGNIFICANCE:

DATE CONSTRUCTED:

CONDITION:

INVENTORY NO: AL-V-A-192

DATE: 8/22/80

REMODELING: Drastic, moderate, minor

NAME OF PROPERTY: MACHINE SHOP

LOCATION OF PROPERTY: C & P RR yards Mount Savage

DIRECTION DWELLING FACES: W gable end

NAME OF OWNER: interior wall on E wide planks

ADDRESS: on E end a road tunnel for

power lines than power house
in foundation wall

STORIES: 1(1/2) 2() 3() 4() 5() 6() BAYS: 1() 2() 3() 4() 5() 6() 7() ()

WINGS, ADDITIONS:

19 bays deep on N & S flanks

DWELLING SHAPE: (square, cross, rectangular)

WALL CONSTRUCTION:

- () FRAME: Bevel, clapboard, weatherboard, wood shingles, board & batten (type?)
- () BRICK: Bond type - common, English, Flemish. Sketch variants.
- (☒) STONE: Bond type - rubble, ashlar (random or regular), quoins-plain, rusticated
- () LOG rock-faced
- () OTHER: Coverings

WALL FEATURES: Belt Course, Pilasters, Others brick corbeling at top of stone walls

FOUNDATIONS: High, Low, Brick, Stone

WATER TABLE: None, Plain, Beveled 2 Bevels
slightly w/ cement top Apparent on SE

WINDOWS, TRIM, SHUTTERS: 1/1() 2/2() 6/6() 9/6() 9/9() other()
cement lugsills
pegged() nailed() wide() narrow() mitred() pediment()

ENTRANCE, DOORS: LOCATION: on W - offset large elliptical arch locomotive or car entrance
HARDWARE: original() replaced() Entrance on S offset double & panels
FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN ea. large 16 light transom
Paneled, Vertical, Horizontal Boards

CORNICE, BARGE, EAVES: Simple overhang - brick corbeling
galibit
original() replaced() rafter ends, modillions, dentils, frieze, architrave

ROOF: Gable front, Gable flank, Hip, Shed, Mansard, Gambrel, Flat, Dormers # snowboards

MATERIAL: wood shingles, slate, tin, asphalt; original(☒) replaced()

PORCHES: SHAPE OF ROOF - shed() hip() gable() large lower louvers on W galibit

CHIMNEYS: Number: 1 Brick(☒) Stone() Corbeled() original() replaced(☒)
Location: Flush end() Inside end(☒) Outside end() Central() Interior()

ARCHES: Door & Windows: Keystone, Flat, Segmental, Semicircular

COMMENTS:

Entrance offset on E
blocked up - semicircular
stone arch extant

USE: storage

SIGNIFICANCE: arch - industry transportation

DATE CONSTRUCTED: 1865 - dates the SE corner

CONDITION: very deteriorated

INVENTORY NO: A-1-V-A-192

DATE: 8/22/80

REMODELING: Drastic, moderate, minor

NAME OF PROPERTY: Pomeroy House

LOCATION OF PROPERTY: C & P RR yards Mount Savage

DIRECTION DWELLING FACES: S

NAME OF OWNER: _____

ADDRESS: _____

STORIES: 1(2) 2() 3() 4() 5() 6() BAYS: 1() 2() 3() 4() 5(1) 6() 7() ()

WINGS, ADDITIONS: _____

necessed bays w/ corbeled top & bottom

DWELLING SHAPE: (square, cross, rectangular)

WALL CONSTRUCTION:

- () FRAME: Bevel, clapboard, weatherboard, wood shingles, board & batten (type?)
(✓) BRICK: Bond type - common, English, Flemish. Sketch variants. stretcher bond
() STONE: Bond type - rubble, ashlar (random or regular), quoins-plain, rusticated
() LOG
() OTHER: Coverings header course at foundation - header course corbeled to

WALL FEATURES: Belt Course, Pilasters, Others _____

FOUNDATIONS: High, Low, Brick, Stone random ashlar rock faced

WATER TABLE: None, Plain, Beveled, Moulded Brick

WINDOWS, TRIM, SHUTTERS: 1/1() 2/2() 6/6() 9/6() 9/9() other()
closed up wooden slipsills tympanum
pegged() nailed() wide() narrow() mitred() pediment()

ENTRANCE, DOORS: LOCATION: Center S vertical planks

HARDWARE: original() replaced(✓)

FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN closed up
Paneled, Vertical, Horizontal Boards

CORNICE, BARGE, EAVES: (crown, fascia, soffit, bed)

original(✓) replaced() rafter ends, modillions, dentils, frieze, architrave

ROOF: gabled Gable front, Gable flank, Hip, Shed, Mansard, Gambrel, Flat, Dormers # _____

MATERIAL: wood shingles, slate, tin, asphalt; Tar paper original(✓) replaced()

PORCHES: SHAPE OF ROOF shed() hip() gable()

CHIMNEYS: Number: 2 stacks on W Removed Brick() Stone() Corbeled() original() replaced()
Location: Flush end() Inside end() Outside end() Central() Interior()

ARCHES: Door & Windows: Keystone, Flat, Segmental, Semicircular

COMMENTS: _____

2 rows headers 1 row projecting header

USE: _____

SIGNIFICANCE: _____

DATE CONSTRUCTED: _____

CONDITION: _____

INVENTORY NO: AL-V-A-192DATE: 8/22/80REMODELING: Drastic, moderate, minorNAME OF PROPERTY: Paint ShopLOCATION OF PROPERTY: C & P RR yards Mount SavageDIRECTION DWELLING FACES: East

NAME OF OWNER: _____

ADDRESS: _____

STORIES: 1(☒) 2() 3() 4() 5() 6() BAYS: 1(☒) 2(☒) 3() 4() 5() 6() 7() ()WINGS, ADDITIONS: RR tracks lead into bldg on WDWELLING SHAPE: (square, cross, rectangular) 7 bays deep

WALL CONSTRUCTION:

- (☒) FRAME: Bevel, clapboard, weatherboard, wood shingles, board & batten (type?)
() BRICK: Bond type - common, English, Flemish. Sketch variants.
() STONE: Bond type - rubble, ashlar (random or regular), quoins-plain, rusticated
() LOG
(☒) OTHER: Coverings corrugated iron & frame

WALL FEATURES: Belt Course, Pilasters, OthersFOUNDATIONS: High, Low, Brick, Stone Cement apparent on SWATER TABLE: None, Plain, Beveled, Moulded BrickWINDOWS, TRIM, SHUTTERS: 1/1() 2/2() 6/6() 9/6() 9/9() other(☒) 12 lights fixed on E 20 lights fixed
pegged() nailed() wide() narrow() mitred() pediment()ENTRANCE, DOORS: LOCATION: Center E double sliding doors diagonal beveled board
HARDWARE: original(☒) replaced() panels 4 panes of 4 lights
FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN ea. orig hardware
Paneled, Vertical, Horizontal BoardsRoom on WCORNICE, BARGE, EAVES: (crown, fascia, sloped soffit, bed)
original() replaced() rafter ends, modillions, dentils, frieze, architraveROOF: Gable front, Gable flank, Hip, Shed, Mansard, Gambrel, Flat, Dormers #
MATERIAL: GABLE RIDGE POLE - ROUNDED
TAK PAPER wood shingles, slate, tin, asphalt; original() replaced()PORCHES: SHAPE OF ROOF - shed() hip() gable()
pipe outside end on NE corner
CHIMNEYS: Number: 1 Brick() Stone() Corbeled() original() replaced()
Location: Flush end() Inside end() Outside end() Central() Interior()ARCHES: Door & Windows: Keystone, Flat, Segmental, Semicircular

COMMENTS:

USE: _____
SIGNIFICANCE: _____
DATE CONSTRUCTED: _____
CONDITION: _____

INVENTORY NO: AL-V-A-192

DATE: 8/22/80

REMODELING: Drastic, moderate, minor

NAME OF PROPERTY: Blacksmith Shop C

LOCATION OF PROPERTY: C&P Railyards Mount Savage

DIRECTION DWELLING FACES: South

NAME OF OWNER: moulding

ADDRESS: _____ double doors on E diagonal beaded
flushboard chamfered trim. large covered transom

STORIES: 1(¹/₂) 2() 3() 4() 5() 6() BAYS: 1() 2() 3() 4() 5() 6() 7(✓) ()

WINGS, ADDITIONS:

DWELLING SHAPE: (square, cross, rectangular) e.g. bay is recessed w/ corbeling at both top and bottom.

WALL CONSTRUCTION:

- () FRAME: Bevel, clapboard, weatherboard, wood shingles, board & batten (type?)
(✓) BRICK: Bond type - common, English, Flemish. Sketch variants. 7x1
() STONE: Bond type - rubble, ashlar (random or regular), quoins-plain, rusticated
() LOG
() OTHER: *interior walls glazed enamel brick*
Coverings

WALL FEATURES: Belt Course, Pilasters, Others pilasters lie rod anchors on pilasters

FOUNDATIONS: High, Low, Brick, Stone

WATER TABLE: None, Plain, Beveled, Moulded Brick

WINDOWS, TRIM, SHUTTERS: 1/1() 2/2() 6/6() 9/9() 9/9() other() 1 all
pegged() nailed() wide() narrow() mitred() pediment()

ENTRANCE, DOORS: LOCATION: off set on S door of beaded flush board
HARDWARE: original (x) replaced ()
FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN Tall 16 light transom
paneled, vertical, horizontal boards same arch windows

CORNICE, BARGE, EAVES: (crown, fascia, soffit, bed)
original(✓) replaced() after ends, modillions, dentils, frieze, architrave

ROOF: Gable front, Gable flank, Hip, Shed, Mansard, Gambrel, Flat, Dormers #
MATERIAL: wood shingles, slate, tin, asphalt, TARP, original() replaced()

~~PORCHES:~~ SHAPE OF ROOF - shed() hip() gable()

CHIMNEYS: Number: _____ Brick() Stone() Corbeled() original() replaced()
Location: Flush end() Inside end() Outside end() Central() Interior()

ARCHES: Door & Windows: Keystone, Flat, Segmental, Semicircular

COMMENTS:

USE:

SIGNIFICANCE:

DATE CONSTRUCTED:..

CONDITION: _____

INVENTORY NO: AL-V-A-192

DATE: 8/22/80

REMODELING: Drastic, moderate, minor

NAME OF PROPERTY: Pump House

LOCATION OF PROPERTY: C&P RR Yards

DIRECTION DWELLING FACES: _____

NAME OF OWNER: _____

ADDRESS: _____

STORIES: 1(☒) 2() 3() 4() 5() 6() BAYS: 1(☒) 2() 3() 4() 5() 6() 7() ()

WINGS, ADDITIONS: shed add on S on ^{under} ~~concrete~~ blocks board and plain batten

DWELLING SHAPE: (square, cross, rectangular)

WALL CONSTRUCTION:

- (☒) FRAME: Bevel, clapboard, weatherboard, wood shingles, board & batten (type?) *chamfered*
() BRICK: Bond type - common, English, Flemish. Sketch variants.
() STONE: Bond type - rubble, ashlar (random or regular), quoins-plain, rusticated
() LOG
() OTHER: Coverings

WALL FEATURES: Belt Course, Pilasters, Others Chamfered exterior baseboard

FOUNDATIONS: High, Low, Brick, Stone concrete

WATER TABLE: None, Plain, Beveled, Moulded Brick

WINDOWS, TRIM, SHUTTERS: 1/1() 2/2() 6/6() 9/6() 9/9() other()
pegged() nailed() wide() narrow() mitred() pediment()

ENTRANCE, DOORS: LOCATION: thin door w planks on E
HARDWARE: original(☒) replaced()
FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN
Paneled, Vertical, Horizontal Boards

CORNICE, BARGE, EAVES: (crown, fascia, sloped soffit, bed)
original(☒) replaced() rafter ends, modillions, dentils, frieze, architrave

ROOF: Gable front, Gable flank, Hip, Shed, Mansard, Gambrel, Flat, Dormers # little "monitor"

MATERIAL: wood shingles, slate, tin, asphalt; original(☒) replaced()

PORCHES: SHAPE OF ROOF - shed() hip() gable()

CHIMNEYS: Number: _____ Brick() Stone() Corbeled() original() replaced()
Location: Flush end() Inside end() Outside end() Central() Interior()

ARCHES: Door & Windows: Keystone, Flat, Segmental, Semicircular

COMMENTS:

USE: _____

SIGNIFICANCE: _____

DATE CONSTRUCTED: _____

CONDITION: _____

INVENTORY NO: AL-V-A-192

DATE: _____

REMODELING: Drastic, moderate, minor

NAME OF PROPERTY: C & P RR Oil House 7/31/80

LOCATION OF PROPERTY: Foundry Row - Lumber Yard

DIRECTION DWELLING FACES: W

NAME OF OWNER: Mt. Savage Refractories

ADDRESS: 408/109

STORIES: 1(X) 2() 3() 4() 5() 6() BAYS: 1() 2() 3(X) 4() 5() 6() 7() ()

WINGS, ADDITIONS:

DWELLING SHAPE: (square, cross, rectangular)

WALL CONSTRUCTION:

- () FRAME: Bevel, clapboard, 5x1 weatherboard, wood shingles, board & batten (type?)
(X) BRICK: Bond type - common, English, Flemish. Sketch variants.
() STONE: Bond type - rubble, ashlar (random or regular), quoins-plain, rusticated
() LOG
() OTHER: Coverings Brown Brick - gablet ends covered w/ slate

WALL FEATURES: Belt Course, Pilasters, Others collecting w/ pilasters

FOUNDATIONS: High, Low, Brick, Stone

WATER TABLE: None, Plain, Beveled, Moulded Brick

WINDOWS, TRIM, SHUTTERS: 1/1() 2/2() 6/6() 9/6() 9/9() other()
pegged() nailed() wide() narrow() mitred() pediment()

ENTRANCE, DOORS: LOCATION: center w 2 horizontal board doors
HARDWARE: original(X) replaced()
FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN
Paneled, Vertical, Horizontal Boards

CORNICE, BARGE, EAVES: (crown, fascia, soffit, bed)
original(X) replaced() rafter ends, modillions, dentils, frieze, architrave

ROOF: Gable Gable front, Gable flank, Hip, Shed, Mansard, Gambrel, Flat, Dormers # _____

MATERIAL: wood shingles, slate, tin, asphalt; original(X) replaced()

PORCHES: SHAPE OF ROOF - shed() hip() gable() bands of laminated shingles

CHIMNEYS: Number: _____ Brick() Stone() Corbeled() original() replaced()
Location: Flush end() Inside end() Outside end() Central() Interior()

ARCHES: Door & Windows: Keystone, Flat, Segmental, Semicircular

COMMENTS: stitcher brick

USE: _____

SIGNIFICANCE: _____

DATE CONSTRUCTED: _____

CONDITION: _____

INVENTORY NO: AL-V-A-192DATE: 8/22/80

REMODELING: Drastic, moderate, minor

NAME OF PROPERTY: tradesman's station on utility bldgLOCATION OF PROPERTY: CIP RR Yards Mount SavageDIRECTION DWELLING FACES: NNAME OF OWNER: moved from orig location,

ADDRESS: _____

STORIES: 1(☒) 2() 3() 4() 5() 6() BAYS: 1(☒) 2() 3() 4() 5() 6() 7() ()

WINGS, ADDITIONS:

DWELLING SHAPE: (square, cross, rectangular)

WALL CONSTRUCTION:

- (☒) FRAME: German siding Bevel, clapboard, weatherboard, wood shingles, board & batten (type?)
() BRICK: Bond type - common, English, Flemish. Sketch variants.
() STONE: Bond type - rubble, ashlar (random or regular), quoins-plain, rusticated
() LOG
() OTHER: Coverings

WALL FEATURES: Belt Course, Pilasters, Others cornerboards

FOUNDATIONS: High, Low, Brick, Stone

WATER TABLE: None, Plain, Beveled, Moulded Brick

WINDOWS, TRIM, SHUTTERS: deco pediment 1/1() 2/2(☒) 6/6() 9/6() 9/9() other()
pegged() nailed() wide() narrow() mitred() pediment(☒) saved decorations fluted jambsENTRANCE, DOORS: LOCATION: Center N moulded door - 6 paned pediment
HARDWARE: original(☒) replaced()
FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN
Paneled, Vertical, Horizontal BoardsCORNICE, BARGE, EAVES: (crown, fascia, soffit, bed) deco brackets on gable ends
original() replaced() rafter ends, modillions, dentils, frieze, architraveROOF: wide overhang on ends bracketed Gable front, Gable flank, Hip, Shed, Mansard, Gambrel, Flat, Dormers # _____MATERIAL: wood shingles, slate, tin, asphalt tar paper original() replaced()

PORCHES: SHAPE OF ROOF - shed() hip() gable()

CHIMNEYS: Number: _____ Brick() Stone() Corbeled() original() replaced()
Location: Flush end() Inside end() Outside end() Central() Interior()

ARCHES: Door & Windows: Keystone, Flat, Segmental, Semicircular

COMMENTS:

USE: _____

SIGNIFICANCE: _____

DATE CONSTRUCTED: _____

CONDITION: _____

Western Maryland Railroad Company

Property Leased To


Danmar Company, Inc.


Office of Chief Engineer - Baltimore, Maryland


Scale : 1" = 50'

October 31, 1955

STAT









[illegible]


AL-V-A-192
 C&P Railroad Yards
 Foundry Row
 Frostburg Quadrangle




1998 Aerial Photo



Tax Map 3M, p. 60





C+P Shops

AL-V-A-010
(H.D.F.)

AL-V-A-192

4/73

Michael Bourne



AL-V-A-192

C&P RR Yard

Allegany Co., MD

David A. Dorsey 8/22/80

Machine Shop, West elev.

163



AL-V-A-192

C&P RR Yard

Allegany Co., MD

David A. Dorsey 8/22/80

W elev. Machine shop



AL-V-A-192

C&P RR Yard

Allegany Co., MD

David A. Dorsey 8/22/80

Looking Westward



AL-V-A-192
C&P RR Yard
Allegany Co., MD
David A. Dorsey 8/22/80
S elev. office building

163



AL-V-A-192

C&P RR Yards (Machine Shop)

Allegany Co., MD

David A. Dorsey 8/22/80

Western elev. interior



AL-V-A-192
C&P RR Yards (Machine Shop)
Allegany Co., MD
David A. Dorsey 8/22/80
Western Elev. exterior



AL-V-A-192

C&P RR Yards (Blacksmith Shop)

Allegany Co., MD

David A. Dorsey 8/22/80

SE elev.



AL-V-A-192
C&P RR Yards (Blacksmith Shop)
Allegany Co., MD
David A. Dorsey 8/22/80
Western elev.



AL-V-A-192

C&P RR Yard

Allegany Co., MD

David A. Dorsey 8/22/80

S.elev. oil house



AL-V-A-192

C&P RR Yards

Allegany Co., MD

David A. Dorsey 7/31/80

Oil House N elev.

163



163
AL-V-A-192

C&P RR Yards (Power House)


Allegany Co., MD

David A. Dorsey 8/22/80

S elev.



AL-V-A-192
C&P RR Yards (Paint Shop)
Allegany Co., MD
David A. Dorsey 8/22/80
NE elev.



AL-V-A-192

C&P RR Yards (Pump House)

Allegany Co., MD

David A. Dorsey 8/22/80

SW elev.



AL-V-A-192

C&P RR Yards (Yard House)

Allegany Co., MD

David A. Dorsey 8/22/80

Eastern elev.